

PLANTS

South Bruny National Park

Checklist of endemic plants



Parks and Wildlife Service Tasmania

DEPARTMENT of TOURISM, PARKS
HERITAGE and the ARTS

The following list highlights some of the endemic plants that can be found in South Bruny National Park. Use this list, in conjunction with a plant identification book, to assist you to identify and observe some of the many plants of Bruny Island.

Endemic plants are those plants found only in a specific location; in this case they are found only in Tasmania.

Each plant is listed in alphabetical order of its scientific name, with reference to the common name.


DICOTYLEDONAE

A

<i>Acacia dealbata</i>	silver wattle
<i>Acacia genistifolia</i>	spreading wattle
<i>Acacia gunnii</i>	ploughshare wattle
<i>Acacia melanoxylon</i>	blackwood
<i>Acacia myrtifolia</i>	myrtle wattle
<i>Acacia riceana</i>	spiny southern wattle
<i>Acacia sophorae</i>	coastal wattle
<i>Acacia stricta</i>	hop wattle
<i>Acacia suaveolens</i>	sweet wattle
<i>Acacia ulicifolia</i>	juniper wattle
<i>Acacia verticillata</i>	prickly moses
<i>Acaena novae-zelandiae</i>	buzzy
<i>Acrotriche serrulata</i>	ant's delight
<i>Allocasuarina littoralis</i>	black sheoak, bullock
<i>Allocasuarina monilifera</i>	necklace sheoak
<i>Allocasuarina verticillata</i>	sheoak, drooping sheoak
<i>Amperea xiphoclada</i>	broom spurge
<i>Aotus ericoides</i>	golden pea
<i>Apium prostratum</i>	sea parsley
<i>Argentipallium dealbatum</i>	white everlasting
<i>Astroloma humifusum</i>	native cranberry
<i>Atriplex cinerea</i>	grey saltbush

B

<i>Baeckea ramosissima</i>	baeckea
<i>Banksia marginata</i>	silver banksia, honeysuckle
<i>Bauera rubioides</i>	wiry bauera
<i>Bedfordia linearis</i>	narrow-leafed blanket leaf
<i>Bedfordia salicina</i>	blanket leaf
<i>Billardiera longifolia</i>	purple apple berry
<i>Boronia parviflora</i>	swamp boronia
<i>Boronia pilosa var. pilosa</i>	hairy boronia
<i>Bossiaea prostrata</i>	creeping bossiaea
<i>Brachyloma ciliatum</i>	fringed brachyloma



C

<i>Carpobrotus rossii</i>	native pigface
<i>Cassinia aculeata</i>	dollybush
<i>Cassytha glabella</i>	slender dodder-laurel
<i>Cassytha pubescens</i>	downy dodder-laurel
<i>Cenarrhenes nitida</i>	native plum
<i>Centaurium erythraea</i>	common centauray
<i>Centella cordifolia</i>	centella
<i>Clematis aristata</i>	Australian clematis
<i>Comesperma calymega</i>	blue-spike milkwort
<i>Comesperma volubile</i>	blue love creeper
<i>Coprosma quadrifida</i>	native currant
<i>Correa alba</i>	white correa
<i>Cyathodes abietina</i>	West Coast pink berry

sheoak

D

<i>Daucus glochidiatus</i>	native carrot
<i>Daviesia ulicifolia</i>	native gorse
<i>Dichondra repens</i>	kidney weed
<i>Dillwynia cinerascens</i>	grey parrot pea
<i>Dillwynia glaberrima</i>	smooth parrot pea
<i>Dillwynia sericea</i>	showy parrot pea
<i>Drosera binata</i>	forked sundew
<i>Drosera pygmaea</i>	dwarf sundew

E

<i>Epacris myrtifolia</i>	myrtle-leaf heath
<i>Epacris obtusifolia</i>	blunt-leaf heath
<i>Epacris impressa</i>	common heath
<i>Epacris lanuginosa</i>	swamp heath, woolly-style heath
<i>Eucalyptus amygdalina</i>	black peppermint
<i>Eucalyptus globulus</i>	Tasmanian blue gum

<i>Eucalyptus nitida</i>	West Coast peppermint
<i>Eucalyptus obliqua</i>	stringybark
<i>Eucalyptus ovata</i>	swamp or black gum
<i>Eucalyptus tenuiramis</i>	silver peppermint
<i>Eucalyptus viminalis</i>	white gum
<i>Euchiton collinus</i>	cudweed
<i>Euphrasia fragosa</i>	fragrant eyebright
<i>Euphrasia striata</i>	striped eyebright
<i>Exocarpos cupressiformis</i>	native cherry
<i>Exocarpos strictus</i>	dwarf cherry, pale fruit ballart
<i>Exocarpos syrticola</i>	coast ballart

G

<i>Geranium potentilloides</i>	mountain geranium
<i>Gompholobium huegelii</i>	bladder-pea, pale wedge-pea
<i>Gonocarpus micranthus</i> <i>ssp. micranthus</i>	creeping raspwort
<i>Gonocarpus tetragynus</i>	common raspwort
<i>Goodenia ovata</i>	parrot's food

H

<i>Hakea epiglottis</i>	needle bush
<i>Helichrysum scorpioides</i>	curling everlasting
<i>Hibbertia empetrifolia</i>	scrambling guinea- flower
<i>Hibbertia procumbens</i>	spreading guinea-flower
<i>Hydrocotyle hirta</i>	hairy pennywort
<i>Hypericum gramineum</i>	small St. Johns wort

K

<i>Kennedia prostrata</i>	running postman
---------------------------	-----------------

L

<i>Lagenifera stipitata</i>	blue bottle daisy
<i>Leptomeria drupacea</i>	currant bush
<i>Leptospermum glaucescens</i>	smoky tea-tree
<i>Leptospermum grandiflorum</i>	mountain tea-tree
<i>Leptospermum lanigerum</i>	woolly tea-tree
<i>Leptospermum scoparium</i> <i>var. scoparium</i>	manuka
<i>Leucopogon collinus</i>	white beard-heath
<i>Leucopogon ericoides</i>	pink beard-heath
<i>Leucopogon parviflorus</i>	coast beard-heath
<i>Lissanthe strigosa</i>	peach heath
<i>Lobelia alata</i>	angled lobelia
<i>Lomatia tinctoria</i>	guitar plant

M

<i>Melaleuca gibbosa</i>	small-leaf paperbark
<i>Melaleuca squamea</i>	swamp paperbark
<i>Melaleuca squarrosa</i>	scented paperbark
<i>Micranthemum hexandrum</i>	box micranthemum
<i>Mitrasacme pilosa</i>	hairy mitrewort
<i>Monotoca elliptica</i>	tree broom-heath
<i>Monotoca glauca</i>	cheese-berry
<i>Myriophyllum simulans</i>	amphibious water-milfoil
<i>Myriophyllum variifolium</i>	varied water-milfoil



black peppermint

O

<i>Olearia phlogopappa</i>	dusty daisy bush
<i>Olearia ramulosa</i>	twiggy daisy bush
<i>Olearia stellulata</i>	starry daisy bush
<i>Opercularia varia</i>	variable stinkweed
<i>Oxalis perennans</i>	native soursob
<i>Ozothamnus costatifructus</i>	everlasting-bush
<i>Ozothamnus ferrugineus</i>	tree everlasting
<i>Ozothamnus reticulatus</i>	everlasting-bush
<i>Ozothamnus scutellifolius</i>	scale-leaf everlasting

P

<i>Persoonia juniperina</i> <i>var. juniperina</i>	prickly geebung
<i>Pimelea glauca</i>	smooth rice-flower
<i>Pimelea linifolia</i> <i>ssp. linifolia</i>	slender rice-flower
<i>Pimelea nivea</i>	round-leaf rice-flower
<i>Plantago triantha</i>	coast plantain
<i>Pomaderris apetala</i>	“dogwood, native hazel”
<i>Pomaderris elliptica</i>	yellow dogwood
<i>Pomaderris pilifera</i>	striped pomaderris
<i>Poranthera microphylla</i>	small poranthera
<i>Pultenaea daphnoides</i> <i>var. obcordata</i>	native daphne
<i>Pultenaea dentata</i>	button pea
<i>Pultenaea juniperina</i>	prickly beauty
<i>Pultenaea stricta</i>	rigid bush-pea

R	
<i>Richea dracophylla</i>	dragon-leaf richea
<i>Richea procera</i>	lowland richea
S	
<i>Samolus repens</i>	creeping brookweed
<i>Sarcocornia quinqueflora</i>	beaded glasswort
<i>Scaevola hookeri</i>	creeping fan flower
<i>Senecio hispidulus</i>	hill fireweed
<i>Senecio linearifolius</i>	fireweed groundsel
<i>Senecio quadridentatus</i>	cotton fireweed
<i>Senecio squarrosus</i>	leafy fireweed
<i>Sphaerolobium minus</i>	globe pea
<i>Sprengelia incarnata</i>	pink swamp heath
<i>Stackhousia monogyna</i>	creamy candles
<i>Stylidium graminifolium</i>	grass trigger plant
T	
<i>Tetragonia implexicoma</i>	bower spinach
<i>Tetratheca procumbens</i>	Tasmanian lilac-bells
U	
<i>Utricularia dichotoma</i>	fairies aprons
<i>Utricularia lateriflora</i>	tiny bladderwort
V	
<i>Vellereophyton dealbatum</i>	white cudweed
<i>Veronica gracilis</i>	slender speedwell
<i>Viola hederacea</i>	ivy-leaf violet
W	
<i>Wahlenbergia littoricola</i>	bluebell
X	
<i>Xanthosia dissecta</i>	cut-leaf xanthosia
<i>Xanthosia pusilla</i>	small xanthosia
MONOCOTYLEDONAE	
A	
<i>Acianthus caudatus</i>	mayfly orchid
<i>Acianthus pusillus</i>	mosquito orchid
<i>Acion hookeri</i>	cord-rush
<i>Apodasmia brownii</i>	coarse twine-rush
<i>Arthropodium milleflorum</i>	pale vanilla-lily
<i>Austrodanthonia racemosa</i>	stiped wallaby-grass
<i>Austrodanthonia setacea</i>	bristly wallaby-grass
<i>Austrostipa aphylla</i>	tall spear-grass
<i>Austrostipa stuposa</i>	corkscrew grass
B	
<i>Baumea acuta</i>	pale twig-rush
<i>Baumea juncea</i>	bare twig-rush
<i>Baumea tetragona</i>	square twig-rush
<i>Blandfordia punicea</i>	christmas bells
<i>Burnettia cuneata</i>	lizard orchid
C	
<i>Caladenia carnea</i>	pink fingers
<i>Caladenia cracens</i>	elegant caladenia
<i>Caladenia dilatata</i>	geen-comb spider orchid
<i>Caladenia echidnachila</i>	fawn spider orchid

<i>Caladenia gracilis</i>	musky caladenia
<i>Caladenia transitoria</i>	green caladenia
<i>Caleana major</i>	large duck orchid
<i>Calochilus herbaceus</i>	pale beard orchid
<i>Calochilus paludosus</i>	strap beard orchid
<i>Calochilus robertsonii</i>	purple beard orchid
<i>Calorophus elongatus</i>	long rope-rush
<i>Carex appressa</i>	tall sedge
<i>Carex flacca</i>	glaucous sedge
<i>Centrolepis aristata</i>	pointed centrolepis
<i>Centrolepis strigosa</i>	hairy centrolepis
<i>Corybas unguiculatus</i>	small helmet orchid
<i>Cryptostylis subulata</i>	large tongue orchid
<i>Cyrtostylis reniformis</i>	small gnat orchid

D	
<i>Deyeuxia quadriseta</i>	reed bent-grass
<i>Dianella revoluta</i>	black-anther flax-lily
<i>Dianella tasmanica</i>	Tasman flax-lily
<i>Dichelachne crinita</i>	long-hair plume-grass
<i>Dichelachne rara</i>	common plume-grass
<i>Diplarrena moraea</i>	white flag iris
<i>Distichlis distichophylla</i>	Australian salt grass
<i>Diuris sulphurea</i>	tiger orchid
<i>Drymphila cyanocarpa</i>	turquoise berry

E	
<i>Ehrharta distichophylla</i>	hairy rice-grass
<i>Empodisma minus</i>	spreading rope-rush
<i>Eriochilus cucullatus</i>	pink autumn orchid
<i>Eurychorda complanata</i>	flat cord-rush

G	
<i>Gahnia grandis</i>	cutting grass
<i>Gahnia trifida</i>	coast saw-edge
<i>Glossodia major</i>	wax-lip orchid

wallaby
grass



H

Hypolaena fastigiata tassel rope-rush
Hypoxis hygrometrica yellow star lily

I

Isolepis inundata swamp club-rush
Isolepis nodosa knobby club-rush

J

Juncus pallidus pale rush
Juncus planifolius broad-leaf rush
Juncus procerus tall rush

L

Laxmannia orientalis dwarf wire-lily
Lemna disperma common duckweed
Lepidosperma concavum sand sword-sedge
Lepidosperma elatius tall sword-sedge
Lepidosperma filiforme common rapier-sedge
Lepidosperma laterale variable sword-sedge
Lepidosperma longitudinale pithy sword-sedge
Lepidosperma oldfieldii sword-sedge
Leptocarpus tenax slender twine-rush
Lomandra longifolia sagg
Lycopodium deuterodensum bushy clubmoss
Lycopodium laterale slender clubmoss

M

Microtis arenaria notched onion orchid
Microtis rara Scented onion orchid
Microtis unifolia common onion orchid

P

Patersonia fragilis blue iris
Poa labillardierei silver tussock-grass
Poa poiformis blue tussock-grass
Prasophyllum australe Austral leek orchid
Prasophyllum brevilabre short-lip leek orchid
Prasophyllum castaneum chestnut leek orchid
Prasophyllum concinnum trim leek orchid
Prasophyllum elatum tall leek orchid
Prasophyllum lindleyanum green leek orchid
Prasophyllum pulchellum pretty leek orchid
Prasophyllum truncatum truncate leek orchid
Pterostylis nana dwarf greenhood
Pterostylis nutans nodding greenhood
Pterostylis pedoglossa prawn greenhood
Pterostylis pedunculata maroonhood
Pterostylis plumosa bearded greenhood
Pterostylis tasmanica small bearded greenhood

S

Schoenus apogon common bog-rush
Schoenus lepidosperma slender bog-rush
subsp. lepidosperma
Sporadanthus tasmanicus branching scale-rush

T

Tetraria capillaris hair sedge
Thelymitra aristata great sun orchid
Thelymitra cyanea veined sun orchid
Thelymitra flexuosa twisted sun orchid
Thelymitra pauciflora slender sun orchid
Thelymitra rubra pink sun orchid
Thelymitra Xtruncata truncate sun orchid
Triglochin procerum water-ribbons

X


Xyris muelleri dwarf yellow-eye
Xyris operculata tall yellow-eye

“Nomenclature follows Buchanan, A.M. (1999). *A Census of the Vascular Plants of Tasmania; Tasmanian Herbarium Occasional Publication No 6*, Hobart.”

Contact

Bruny Island National Park
Phone: (03) 6293 1419
If the office is unattended, please leave a message.

Nature Conservation Branch
134 Macquarie Street, Hobart, 7000
Phone: (03) 6233 6556
Fax: (03) 6233 3477



native pigface

FURTHER INFORMATION

Head Office: 134 Macquarie Street Hobart TAS 7000
Phone: 1300 135 513

Internet: www.parks.tas.gov.au
December 2003 © State of Tasmania