

## Flora of the Peter Murrell Reserves

The dry heathlands and heathy-shrubby black peppermint woodland and forests of the Peter Murrell Reserves are just about all that remains of the vegetation that once covered the sandy hills of Blackmans Bay and Kingston. The area contains a buttongrass moorland, the closest example to Hobart of this vegetation type that is better known from western and south-western Tasmania. The area drains to the western boundary and damper vegetation types are found downslope. Drainage lines, creeks and ponds present further variety.

Dry heathlands and woodlands are among the most diverse vegetation types and are well represented. A total of 250 native flowering plants have been recorded, about 15% of Tasmania's flowering plants. Thirteen are endemic to the state. In addition there are 113 introduced plants but only a small number are troublesome weeds.

Shrubs in the wattle and pea families are particularly well represented, producing colourful displays in late winter and early spring. Flowering wattles appear in early August, soon followed by pea shrubs. Orchids are also well represented with 44 species. Although there is not a month without at least one species in flower, many are small or hidden and easily overlooked. Easier to find are the tall sun-orchids and beard-orchids that are in flower from early November. These are most commonly seen in the perimeter fire break where they stand out against the slashed background vegetation.

Below is the list of all vascular plants recorded up to 2012.

e = endemic

i = introduced

### Dicotyledonae

#### Apiaceae

i *Conium maculatum*

#### Apocynaceae

i *Vinca major*

#### Asteraceae

i *Arctotheca calendula*

*Argentipallium dealbatum*

e *Bedfordia salicina*

i *Bellis perennis*

e *Brachyscome spathulata* subsp. *glabra*

*Cassinia aculeata* subsp. *aculeata*

i *Chrysanthemoides monilifera* subsp. *monilifera*

*Chrysocephalum apiculatum*

i *Cirsium vulgare*

i *Conyza sumatrensis*

*Coronidium scorpioides*

i *Cotula coronopifolia*

*Craspedia glauca*

*Euchiton collinus*

*Euchiton involucratus*

i *Euryops abrotanifolius*

i *Helminthotheca echioides*

i *Hypochaeris glabra*

i *Hypochaeris radicata*

*Lagenophora stipitata*

i *Leontodon saxatilis*

*Leptinella reptans*

*Leptorhynchus squamatus* subsp. *squamatus*

*Olearia argophylla*

*Olearia erubescens*

*Olearia floribunda*

*Olearia myrsinoides*

*Olearia phlogopappa*

### Dicots

#### Celery Family

hemlock

#### Dogbane Family

blue periwinkle

#### Daisy Family

capeweed

white everlasting

tasmanian blanketleaf

english daisy

blue daisy

common dollybush

boneseed

common everlasting

spear thistle

tall fleabane

curling everlasting

water buttons

common billybuttons

common cottonleaf

star cottonleaf

winter euryops

bristly oxtongue

smooth catsear

rough catsear

blue bottledaisy

hairy hawkbit

creeping buttons

scaly buttons

musk daisybush

moth daisybush

flowery daisybush

silky daisybush

dusty daisybush

	<i>Olearia ramulosa</i>	twiggy daisybush
	<i>Ozothamnus ferrugineus</i>	tree everlastingbush
	<i>Senecio biserratus</i>	jagged fireweed
	<i>Senecio glomeratus</i> subsp. <i>glomeratus</i>	shortfruit purple fireweed
	<i>Senecio hispidulus</i>	rough fireweed
	<i>Senecio linearifolius</i> var. <i>linearifolius</i>	common fireweed groundsel
	<i>Senecio minimus</i>	shrubby fireweed
	<i>Senecio quadridentatus</i>	cotton fireweed
i	<i>Senecio vulgaris</i>	common groundsel
i	<i>Sonchus asper</i>	prickly sowthistle
i	<i>Sonchus oleraceus</i>	common sowthistle
i	<i>Taraxacum officinalis</i>	common dandelion
i	<i>Vellereophyton dealbatum</i>	white cudweed
	<b>Boraginaceae</b>	<b>Borage Family</b>
i	<i>Echium plantagineum</i>	patersons curse
	<b>Brassicaceae</b>	<b>Mustard Family</b>
i	<i>Nasturtium officinale</i>	two-row watercress
	<b>Callitrichaceae</b>	<b>Waterstarwort Family</b>
i	<i>Callitriche stagnalis</i>	mud waterstarwort
	<b>Campanulaceae</b>	<b>Bellflower Family</b>
	<i>Lobelia gibbosa</i>	tall lobelia
	<i>Wahlenbergia gracilentia</i>	annual bluebell
	<i>Wahlenbergia gracilis</i>	sprawling bluebell
	<i>Wahlenbergia multicaulis</i>	bushy bluebell
	<i>Wahlenbergia stricta</i>	tall bluebell
	<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>
i	<i>Leycesteria formosa</i>	elishas tears
	<b>Caryophyllaceae</b>	<b>Starwort Family</b>
i	<i>Cerastium glomeratum</i>	sticky mouse-ear
i	<i>Moenchia erecta</i>	erect chickweed
i	<i>Sagina procumbens</i>	spreading pearlwort
i	<i>Silene gallica</i> var. <i>quinquevulnera</i>	spotted catchfly
i	<i>Spergula arvensis</i>	corn spurrey
i	<i>Stellaria media</i>	garden chickweed
i	<i>Stellaria pallida</i>	lesser chickweed
	<b>Casuarinaceae</b>	<b>Sheoak Family</b>
	<i>Allocasuarina littoralis</i>	black sheoak
	<i>Allocasuarina monilifera</i>	necklace sheoak
	<b>Clusiaceae</b>	<b>St. Johns-wort Family</b>
	<i>Hypericum gramineum</i>	small st. johns-wort
	<b>Crassulaceae</b>	<b>Stonecrop Family</b>
	<i>Crassula sieberiana</i>	rock stonecrop
	<b>Dilleniaceae</b>	<b>Guineaflower Family</b>
	<i>Hibbertia acicularis</i>	prickly guineaflower
	<i>Hibbertia procumbens</i>	spreading guineaflower
	<i>Hibbertia riparia</i>	erect guineaflower
	<b>Droseraceae</b>	<b>Sundew Family</b>
	<i>Drosera auriculata</i>	tall sundew
	<i>Drosera binata</i>	forked sundew
	<i>Drosera peltata</i>	pale sundew
	<i>Drosera pygmaea</i>	dwarf sundew
	<b>Epacridaceae</b>	<b>Heath Family</b>
	<i>Astroloma humifusum</i>	native cranberry
	<i>Epacris impressa</i>	common heath
	<i>Epacris lanuginosa</i>	swamp heath
	<i>Epacris obtusifolia</i>	bluntleaf heath
	<i>Leucopogon collinus</i>	white beardheath
	<i>Leucopogon ericoides</i>	pink beardheath
	<i>Leucopogon virgatus</i> var. <i>virgatus</i>	twiggy beardheath

	<i>Monotoca glauca</i>	goldey wood
	<i>Sprengelia incarnata</i>	pink swampheath
	<i>Styphelia adscendens</i>	golden heath
	<b>Ericaceae</b>	<b>Heather Family</b>
i	<i>Calluna vulgaris</i>	heather
i	<i>Erica holosericea</i>	silky heath
i	<i>Erica lusitanica</i>	spanish heath
	<b>Euphorbiaceae</b>	<b>Spurge Family</b>
	<i>Amperea xiphoclada</i> var. <i>xiphoclada</i>	broom spurge
i	<i>Euphorbia pepplus</i>	petty spurge
	<b>Fabaceae</b>	<b>Pea Family</b>
	<i>Aotus ericoides</i>	golden pea
	<i>Bossiaea cinerea</i>	showy bossia
	<i>Bossiaea prostrata</i>	creeping bossia
i	<i>Chamaecytisus palmensis</i>	tree lucerne
i	<i>Cytisus scoparius</i>	english broom
	<i>Daviesia ulicifolia</i> subsp. <i>ulicifolia</i>	yellow spiky bitterpea
	<i>Dillwynia glaberrima</i>	smooth parrotpea
	<i>Dillwynia sericea</i>	showy parrotpea
i	<i>Genista monspessulana</i>	montpellier broom
	<i>Gompholobium huegelii</i>	common wedgepea
	<i>Hovea heterophylla</i>	winter purplepea
	<i>Indigofera australis</i>	native indigo
	<i>Kennedia prostrata</i>	running postman
i	<i>Lotus uliginosus</i>	greater birdsfoot-trefoil
i	<i>Lupinus Xregalis</i>	russell lupin
i	<i>Medicago lupulina</i>	black medick
	<i>Oxylobium ellipticum</i>	golden shaggypea
i	<i>Psoralea pinnata</i>	blue butterflybush
	<i>Pultenaea daphnoides</i> var. <i>obcordata</i>	heartleaf bushpea
	<i>Pultenaea dentata</i>	swamp bushpea
	<i>Pultenaea juniperina</i>	prickly beauty
	<i>Pultenaea pedunculata</i>	matted bushpea
	<i>Sphaerolobium minus</i>	eastern globepea
i	<i>Trifolium campestre</i>	hop clover
i	<i>Trifolium dubium</i>	suckling clover
i	<i>Trifolium pratense</i>	red clover
i	<i>Trifolium repens</i>	white clover
i	<i>Trifolium subterraneum</i>	subterranean clover
i	<i>Ulex europaeus</i>	gorse
i	<i>Vicia sativa</i> subsp. <i>sativa</i>	common vetch
i	<i>Vicia tetrasperma</i>	smooth vetch
	<b>Fumariaceae</b>	<b>Fumitory Family</b>
i	<i>Fumaria muralis</i> subsp. <i>muralis</i>	wall fumitory
	<b>Gentianaceae</b>	<b>Gentian Family</b>
i	<i>Centaurium erythraea</i>	common centaury
i	<i>Centaurium tenuiflorum</i>	slender centaury
	<b>Geraniaceae</b>	<b>Geranium Family</b>
	<i>Geranium potentilloides</i> var. <i>potentilloides</i>	mountain cranesbill
	<b>Goodeniaceae</b>	<b>Native-primrose Family</b>
	<i>Goodenia lanata</i>	trailing native-primrose
	<i>Goodenia ovata</i>	hop native-primrose
	<b>Haemodoraceae</b>	<b>Bloodroot Family</b>
i	<i>Anigozanthos</i> sp.	kangaroo paw
	<b>Haloragaceae</b>	<b>Raspwort Family</b>
	<i>Gonocarpus micranthus</i> subsp. <i>micranthus</i>	creeping raspwort
	<i>Gonocarpus tetragynus</i>	common raspwort
	<i>Gonocarpus teucroides</i>	forest raspwort
	<b>Lamiaceae</b>	<b>Mint Family</b>

i	<i>Prunella vulgaris</i>	selfheal
	<b>Lauraceae</b>	<b>Laurel Family</b>
	<i>Cassytha glabella</i>	slender dodderlaurel
e	<i>Cassytha pedicellosa</i>	stalked dodderlaurel
	<i>Cassytha pubescens</i>	downy dodderlaurel
	<b>Lentibulariaceae</b>	<b>Bladderwort Family</b>
	<i>Utricularia dichotoma</i>	fairies aprons
	<i>Utricularia lateriflora</i>	tiny bladderwort
	<b>Linaceae</b>	<b>Flax Family</b>
	<i>Linum marginale</i>	native flax
	<b>Loganiaceae</b>	<b>Mitrewort Family</b>
	<i>Mitrasacme pilosa</i> var. <i>pilosa</i>	hairy mitrewort
	<i>Mitrasacme pilosa</i> var. <i>stuartii</i>	stalked hairy mitrewort
	<b>Lythraceae</b>	<b>Loosestrife Family</b>
	<i>Lythrum hyssopifolia</i>	small loosestrife
	<b>Mimosaceae</b>	<b>Wattle Family</b>
	<i>Acacia dealbata</i> subsp. <i>dealbata</i>	silver wattle
i	<i>Acacia decurrens</i>	green wattle
	<i>Acacia genistifolia</i>	spreading wattle
	<i>Acacia gunnii</i>	ploughshare wattle
i	<i>Acacia howittii</i>	sticky wattle
i	<i>Acacia longifolia</i> subsp. <i>longifolia</i>	sydney coast wattle
	<i>Acacia mearnsii</i>	black wattle
	<i>Acacia melanoxylon</i>	blackwood
	<i>Acacia mucronata</i> subsp. <i>mucronata</i>	erect caterpillar wattle
	<i>Acacia myrtifolia</i>	redstem wattle
	<i>Acacia stricta</i>	hop wattle
	<i>Acacia suaveolens</i>	sweet wattle
i	<i>Acacia uncifolia</i>	coast wirilda
	<i>Acacia verticillata</i> subsp. <i>ruscifolia</i>	broadleaf prickly moses
	<i>Acacia verticillata</i> subsp. <i>verticillata</i>	prickly moses
	<b>Myrtaceae</b>	<b>Myrtle Family</b>
e	<i>Eucalyptus amygdalina</i>	black peppermint
	<i>Eucalyptus globulus</i> subsp. <i>globulus</i>	tasmanian blue gum
	<i>Eucalyptus obliqua</i>	stringybark
	<i>Eucalyptus ovata</i> var. <i>ovata</i>	black gum
e	<i>Eucalyptus tenuiramis</i>	silver peppermint
	<i>Eucalyptus viminalis</i> subsp. <i>viminalis</i>	white gum
	<i>Euryomyrtus ramosissima</i>	rosy heathmyrtle
i	<i>Kunzea ericoides</i>	burgan
e	<i>Leptospermum glaucescens</i>	smoky teatree
	<i>Leptospermum lanigerum</i>	woolly teatree
	<i>Leptospermum scoparium</i>	common teatree
	<i>Melaleuca pallida</i>	yellow bottlebrush
	<i>Melaleuca squamea</i>	swamp honeymyrtle
	<i>Melaleuca squarrosa</i>	scented paperbark
	<b>Onagraceae</b>	<b>Willowherb Family</b>
	<i>Epilobium hirtigerum</i>	hairy willowherb
	<b>Oxalidaceae</b>	<b>Woodsorrel Family</b>
i	<i>Oxalis articulata</i>	bent woodsorrel
	<i>Oxalis perennans</i>	grassland woodsorrel
	<b>Pittosporaceae</b>	<b>Pittosporum Family</b>
i	<i>Billardiera heterophylla</i>	bluebell creeper
	<i>Bursaria spinosa</i> subsp. <i>spinosa</i>	prickly box
	<i>Rhytidosporum procumbens</i>	starry appleberry
	<b>Plantaginaceae</b>	<b>Plantain Family</b>
i	<i>Plantago coronopus</i> subsp. <i>coronopus</i>	slender buckshorn plantain
i	<i>Plantago lanceolata</i>	ribwort plantain
	<b>Polygalaceae</b>	<b>Milkwort Family</b>

	<i>Comesperma calymega</i>	bluespike milkwort
	<i>Comesperma volubile</i>	blue lovecreeper
<b>Polygonaceae</b>		<b>Dock Family</b>
i	<i>Acetosella vulgaris</i>	sheep sorrel
i	<i>Polygonum aviculare</i>	creeping wireweed
i	<i>Rumex conglomeratus</i>	clustered dock
i	<i>Rumex crispus</i>	curled dock
<b>Primulaceae</b>		<b>Primrose Family</b>
i	<i>Lysimachia arvensis</i>	scarlet pimpernel
<b>Proteaceae</b>		<b>Protea Family</b>
	<i>Banksia marginata</i>	silver banksia
e	<i>Lomatia tinctoria</i>	guitarplant
	<i>Persoonia juniperina</i>	prickly geebung
<b>Ranunculaceae</b>		<b>Buttercup Family</b>
	<i>Clematis clitorioides</i>	pleasant clematis
i	<i>Ranunculus muricatus</i>	sharp buttercup
<b>Rhamnaceae</b>		<b>Buckthorn Family</b>
	<i>Pomaderris elliptica</i> var. <i>elliptica</i>	yellow dogwood
<b>Rosaceae</b>		<b>Rose Family</b>
	<i>Acaena novae-zelandiae</i>	common buzzy
i	<i>Crataegus monogyna</i>	hawthorn
i	<i>Rosa rubiginosa</i>	sweet briar
i	<i>Rubus anglocandicans</i>	blackberry
	<i>Rubus parvifolius</i>	native raspberry
<b>Rubiaceae</b>		<b>Madder Family</b>
i	<i>Galium aparine</i>	cleavers
	<i>Opercularia varia</i>	variable stinkweed
i	<i>Sherardia arvensis</i>	field madder
<b>Rutaceae</b>		<b>Boronia Family</b>
	<i>Boronia parviflora</i>	swamp boronia
	<i>Zieria arborescens</i> subsp. <i>arborescens</i>	stinkwood
<b>Salicaceae</b>		<b>Willow Family</b>
	<i>Salix fragilis</i> (?)	crack willow
<b>Santalaceae</b>		<b>Sandalwood Family</b>
	<i>Exocarpos cupressiformis</i>	common native-cherry
	<i>Exocarpos strictus</i>	pearly native-cherry
	<i>Leptomeria drupacea</i>	erect currantbush
<b>Sapindaceae</b>		<b>Soapwood Family</b>
	<i>Dodonaea viscosa</i> subsp. <i>spatulata</i>	broadleaf hopbush
<b>Scrophulariaceae</b>		<b>Snapdragon Family</b>
i	<i>Digitalis purpurea</i>	foxglove
i	<i>Parentucellia latifolia</i>	broadleaf glandweed
i	<i>Parentucellia viscosa</i>	yellow glandweed
i	<i>Verbascum virgatum</i>	twiggy mullein
	<i>Veronica gracilis</i>	slender speedwell
<b>Solanaceae</b>		<b>Nightshade Family</b>
	<i>Solanum laciniatum</i>	kangaroo apple
<b>Stackhousiaceae</b>		<b>Candles Family</b>
	<i>Stackhousia monogyna</i>	forest candles
<b>Stylidiaceae</b>		<b>Triggerplant Family</b>
	<i>Stylidium armeria</i> subsp. <i>armeria</i>	broadleaf triggerplant
	<i>Stylidium graminifolium</i>	grass triggerplant
<b>Thymelaeaceae</b>		<b>Riceflower Family</b>
	<i>Pimelea humilis</i>	dwarf riceflower
	<i>Pimelea linifolia</i> subsp. <i>linifolia</i>	slender riceflower
<b>Tremandraceae</b>		<b>Pinkbells Family</b>
	<i>Tetradlea labillardierei</i>	glandular pinkbells
	<i>Tetradlea pilosa</i> subsp. <i>pilosa</i>	hairy pinkbells
<b>Violaceae</b>		<b>Violet Family</b>

*Viola hederacea* subsp. *hederacea*

ivy leaf violet

## Monocotyledonae

### Centrolepidaceae

*Centrolepis strigosa* subsp. *strigosa*

### Cyperaceae

*Baumea acuta*

*Baumea tetragona*

*Carex appressa* var. *virgata*

i *Cyperus eragrostis*

*Ficinia nodosa*

*Gahnia grandis*

*Gahnia radula*

*Gymnoschoenus sphaerocephalus*

*Isolepis cernua*

*Isolepis inundata*

i *Isolepis prolifera*

*Lepidosperma concavum*

*Lepidosperma elatius*

*Lepidosperma filiforme*

*Lepidosperma gunnii*

*Lepidosperma laterale*

*Lepidosperma longitudinale*

*Lepidosperma tortuosum*

*Schoenus apogon*

*Schoenus lepidosperma* subsp. *lepidosperma*

*Tetraria capillaris*

### Iridaceae

i *Crocasmia Xcrocosmiiflora*

*Diplarrena moraea*

i *Freesia hybrid*

*Patersonia fragilis*

i *Sisyrinchium iridifolium*

i *Watsonia meriana*

### Juncaceae

*Juncus amabilis*

i *Juncus articulatus*

*Juncus bufonius*

i *Juncus effusus*

*Juncus gregiflorus*

*Juncus pallidus*

*Juncus pauciflorus*

*Juncus planifolius*

*Juncus procerus*

*Juncus sarophorus*

*Luzula flaccida*

### Lemnaceae

*Landoltia punctata*

*Lemna disperma*

### Liliaceae

i *Agapanthus praecox* subsp. *orientalis*

*Arthropodium milleflorum*

*Dianella revoluta* var. *revoluta*

*Dianella tasmanica*

*Dryophila cyanocarpa*

i *Lilium formosanum*

*Thelionema caespitosum*

*Thysanotus patersonii*

### Orchidaceae

## Monocots

### Bristlewort Family

hairy bristlewort

### Sedge Family

pale twigsedge

square twigsedge

longleaf tall sedge

drain flatsedge

knobby clubsedge

cutting grass

thatch sawsedge

buttongrass

nodding clubsedge

swamp clubsedge

proliferous clubsedge

sand swordsedge

tall swordsedge

common rapiersedge

narrow swordsedge

variable swordsedge

spreading rapiersedge

twisting rapiersedge

common bogsedge

slender bogsedge

hair sedge

### Iris Family

montbretia

white flag-iris

freesia

short purpleflag

blue pigroot

watsonia

### Rush Family

gentle rush

jointed rush

toad rush

soft rush

green rush

pale rush

looseflower rush

broadleaf rush

tall rush

broom rush

pale woodrush

### Duckweed Family

dotted duckweed

common duckweed

### Lily Family

agapanthus

pale vanilla-lily

spreading flaxlily

forest flaxlily

turquoise berry

taiwan lily

tufted lily

twining fringelily

### Orchid Family

	<i>Acianthus caudatus</i>	mayfly orchid
	<i>Acianthus pusillus</i>	small mosquito-orchid
	<i>Caladenia alata</i>	fairy fingers
	<i>Caladenia atrata</i>	dark finger-orchid
	<i>Caladenia carnea</i>	pink fingers
	<i>Caladenia clavigera</i>	clubbed spider-orchid
	<i>Caladenia cracens</i>	elegant finger-orchid
	<i>Caladenia dilatata</i>	greencomb spider-orchid
e	<i>Caladenia echidnachila</i>	fawn spider-orchid
	<i>Caladenia fuscata</i>	dusky fingers
	<i>Caladenia gracilis</i>	musky finger-orchid
	<i>Caleana major</i>	flying duck-orchid
	<i>Calochilus paludosus</i>	strap beard-orchid
	<i>Calochilus platytilus</i>	purple beard-orchid
	<i>Chiloglottis reflexa</i>	autumn bird-orchid
	<i>Chiloglottis triceratops</i>	threehorned bird-orchid
	<i>Corunastylis archeri</i>	elfin midge-orchid
e	<i>Corunastylis tasmanica</i>	tasmanian midge-orchid
	<i>Corybas incurvus</i>	slaty helmet-orchid
	<i>Cryptostylis subulata</i>	large tongue-orchid
	<i>Cyrtostylis reniformis</i>	small gnat-orchid
	<i>Diuris pardina</i>	leopard orchid
	<i>Diuris sulphurea</i>	tiger orchid
	<i>Eriochilus cucullatus</i>	pale autumn-orchid
	<i>Gastrodia sesamoides</i>	short potato-orchid
	<i>Glossodia major</i>	waxlip orchid
	<i>Microtis unifolia</i>	common onion-orchid
	<i>Paracaleana minor</i>	small duck-orchid
	<i>Prasophyllum australe</i>	austral leek-orchid
e	<i>Prasophyllum concinnum</i>	trim leek-orchid
	<i>Pterostylis nutans</i>	nodding greenhood
	<i>Pterostylis parviflora</i>	tiny greenhood
	<i>Pterostylis pedunculata</i>	maroonhood
	<i>Pterostylis plumosa</i>	bearded greenhood
	<i>Thelymitra aristata</i>	great sun-orchid
	<i>Thelymitra arenaria</i>	forest sun-orchid
	<i>Thelymitra cyanea</i>	veined sun-orchid
	<i>Thelymitra erosa</i>	striped sun-orchid
	<i>Thelymitra juncifolia</i>	large-spotted sun-orchid
	<i>Thelymitra nuda</i>	plain sun-orchid
	<i>Thelymitra pauciflora</i>	slender sun-orchid
	<i>Thelymitra peniculata</i>	trim sun-orchid
	<i>Thelymitra rubra</i>	pink sun-orchid
	<i>Thelymitra viridis</i>	green sun-orchid
	<b>Poaceae</b>	<b>Grass Family</b>
i	<i>Agrostis capillaris</i> var. <i>capillaris</i>	browntop bent
i	<i>Agrostis stolonifera</i>	creeping bent
i	<i>Aira caryophyllea</i>	silvery hairgrass
i	<i>Alopecurus geniculatus</i>	marsh foxtail
i	<i>Anthoxanthum odoratum</i>	sweet vernalgrass
i	<i>Arrhenatherum elatius</i> var. <i>bulbosus</i>	bulbous oatgrass
	<i>Austrodanthonia caespitosa</i>	common wallabygrass
	<i>Austrodanthonia pilosa</i>	velvet wallabygrass
	<i>Austrodanthonia setacea</i>	bristly wallabygrass
	<i>Austrostipa mollis</i>	soft speargrass
	<i>Austrostipa pubinodis</i>	tall speargrass
	<i>Austrostipa rudis</i> subsp. <i>australis</i>	southern speargrass
i	<i>Briza maxima</i>	greater quaking-grass
i	<i>Briza minor</i>	lesser quaking-grass

i	<i>Bromus diandrus</i>	great brome
i	<i>Bromus sterilis</i>	barren brome
i	<i>Cortaderia jubata</i>	pink pampasgrass
i	<i>Cortaderia selloana</i>	silver pampasgrass
i	<i>Cynodon dactylon</i> var. <i>dactylon</i>	couchgrass
i	<i>Cynosurus cristatus</i>	crested dogstail
i	<i>Cynosurus echinatus</i>	rough dogstail
i	<i>Dactylis glomerata</i>	cocksfoot
	<i>Deyeuxia quadriseta</i>	reed bentgrass
	<i>Dichelachne crinita</i>	longhair plumegrass
i	<i>Ehrharta erecta</i> var. <i>erecta</i>	panic veldtgrass
	<i>Elymus scaber</i>	rough wheatgrass
i	<i>Glyceria declinata</i>	small sweetgrass
	<i>Hemarthria uncinata</i> var. <i>uncinata</i>	hooked matgrass
i	<i>Holcus lanatus</i>	yorkshire fog
i	<i>Lolium perenne</i>	perennial ryegrass
	<i>Microlaena stipoides</i> var. <i>stipoides</i>	weeping ricegrass
i	<i>Paspalum dilatatum</i>	paspalum
i	<i>Piptatherum miliaceum</i>	rice millet
i	<i>Poa annua</i>	winter grass
	<i>Poa labillardierei</i> var. <i>labillardierei</i>	silver tussockgrass
	<i>Poa sieberiana</i> var. <i>sieberiana</i>	grey tussockgrass
	<i>Tetrarrhena acuminata</i>	swamp ricegrass
	<i>Tetrarrhena distichophylla</i>	hairy ricegrass
	<i>Themeda triandra</i>	kangaroo grass
i	<i>Vulpia bromoides</i>	squirreltail fescue
i	<i>Vulpia myuros</i> forma <i>megalura</i>	foxtail fescue
	<b>Potamogetonaceae</b>	<b>Pondweed Family</b>
	<i>Potamogeton ochreatus</i>	blunt pondweed
	<b>Restionaceae</b>	<b>Cordrush Family</b>
	<i>Baloskion australe</i>	southern cordrush
e	<i>Chordifex monocephalus</i>	smooth buttonrush
	<i>Empodisma minus</i>	spreading roperush
	<i>Eurychorda complanata</i>	flat cordrush
	<i>Hypolaena fastigiata</i>	tassel roperush
	<i>Leptocarpus tenax</i>	slender twinerush
	<i>Lepyrodia muelleri</i>	erect scalerush
	<i>Sporadanthus tasmanicus</i>	branching scalerush
	<b>Typhaceae</b>	<b>Cumbungi Family</b>
i	<i>Typha latifolia</i>	great reedmace
	<b>Xanthorrhoeaceae</b>	<b>Grasstree Family</b>
	<i>Lomandra longifolia</i>	sagg
	<b>Xyridaceae</b>	<b>Yelloweye Family</b>
e	<i>Xyris marginata</i>	alpine yelloweye
	<i>Xyris operculata</i>	tall yelloweye
e	<i>Xyris tasmanica</i>	tasmanian yelloweye
	<b>Pteridophyta</b>	<b>Ferns and Fern Allies</b>
	<b>Aspleniaceae</b>	<b>Spleenwort Family</b>
	<i>Asplenium flabellifolium</i>	necklace fern
	<b>Azollaceae</b>	<b>Azolla Family</b>
	<i>Azolla filiculoides</i>	pacific azolla
	<b>Blechnaceae</b>	<b>Waterfern Family</b>
	<i>Blechnum minus</i>	soft waterfern
	<i>Blechnum nudum</i>	fishbone waterfern
	<i>Blechnum wattsii</i>	hard waterfern
	<b>Dennstaedtiaceae</b>	<b>Groundfern Family</b>
	<i>Histiopteris incisa</i>	batswing fern
	<i>Pteridium esculentum</i>	bracken



**Dicksoniaceae***Dicksonia antarctica***Dryopteridaceae***Polystichum proliferum***Gleicheniaceae***Gleichenia dicarpa***Lindsaeaceae***Lindsaea linearis***Selaginellaceae***Selaginella uliginosa***Schizaeaceae***Schizaea bifida**Schizaea fistulosa***Dicksonia Family**

soft treefern

**Shieldfern Family**

mother shieldfern

**Coralfern Family**

pouched coralfern

**Screw Fern Family**

screw fern

**Spikemoss Family**

swamp spikemoss

**Combfern Family**

forked combfern

narrow combfern

**Source:** J.B. Kirkpatrick and P.B. McQuillan (1996): *Biological resources, reservation and management of the Huntingfield Estate, Tasmania*. A report to the Huntingfield/Coffee Creek Landcare Group for Unitas Pty.Ltd., with additional species recorded by members of the Friends of the Peter Murrell Reserves. The landcare group also maintains a herbarium.